

BZL21P - 18mm L Type Rounded Blade £6.59

<https://compasscutter.com/nt-cutter-BZL21P-18mm-L-Type-Rounded-Blade>

Product Image



Description

NT Cutter BZL21P - an 18mm L Type Rounded Blade designed to elevate your cutting experience. This innovative blade features a unique rounded L-shaped design, setting it apart as a versatile and efficient cutting tool for various applications.

Crafted with precision and attention to detail, the NT Cutter BZL21P offers outstanding cutting

performance. Its 18mm size strikes the perfect balance between handling intricate cuts and tackling larger tasks with ease. Whether you're involved in crafting, packaging, or any cutting-related work, this blade proves to be an indispensable asset.

Specification

- Blade Length: 40mm
- Blade Width: 18mm
- Blade Thickness: 0.45mm
- Blade colour: Silver

The L Type Rounded Blade is specially engineered to enhance user safety and cutting efficiency. The rounded tip provides an added layer of protection, minimizing the risk of accidental cuts during use. This makes it an excellent choice for both experienced professionals and those new to cutting tasks, instilling confidence and ease of use.

With the NT Cutter BZL21P, precision and control are at your fingertips. The unique design of the blade ensures smooth and accurate cuts through a variety of materials, including paper, cardboard, vinyl, and more. Its versatility makes it a go-to option for a wide range of projects, both at home and in professional settings.

Durability is a hallmark of NT Cutter products, and the BZL21P L Type Rounded Blade is no exception. Crafted from high-quality materials and subject to rigorous testing, this blade is built to withstand demanding cutting tasks and provide reliable performance over time.

Packaged: 5 Blades

Replacement blade for : ZL2P, ZL-1P, SL10P, SL20P, SL30P, SL-1P, SL-3P, JL-120P,

iL-120P, L-300RP, eL-500, iL-500RP, iL-550RP, L-500, L-500P, L-500G, L-500GP, L-500GR, L-500GRP, L-550, L-550P, L-550GP, SL-700GP, PMGL-EVO2, PMGL-EVO2R. Segment-free, short and rounded tip blade(40mm/0.45mm).